#### Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025



Page 1 of 17 Print Date 04/11/2025

## SAFETY DATA SHEET

Geon<sup>TM</sup> DM740 BLACK PLASTISOL

Section 1. Identification		
GHS product identifier	:	Geon™ DM740 BLACK PLASTISOL
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20029333
Product type	:	liquid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1 TOXIC TO REPRODUCTION - Category 2

#### **GHS label elements**

## Geon™ DM740 BLACK PLASTISOL



Version Number 1.10 Revision Date 02/18/2025

#### Page 2 of 17 Print Date 04/11/2025

Hazard pictograms	:	
Signal word Hazard statements	:	Warning May cause an allergic skin reaction. Causes eye irritation. Suspected of damaging fertility or the unborn child.
Precautionary statements		
Prevention	:	Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Avoid breathing vapor. Wash thoroughly after handling. Contaminated work clothing must
Response	:	not be allowed out of the workplace. IF exposed or concerned: Get medical advice or attention. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20029333

#### CAS number/other identifiers

Ingredient name	%	CAS number
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	>= 10 - <= 25	68515-48-0
2,4,4-Trimethyl-1,3-penytanediol diisobutyrate	>= 3 - <= 5	6846-50-0

#### Geon<sup>™</sup> DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025



Page 3 of 17 Print Date 04/11/2025

Proprietary Hazardous Compounds	>= 0.3 - < 1	Not available.
Carbon black	> 0 - <= 0.3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

## Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025



Page 4 of 17 Print Date 04/11/2025

#### Potential acute health effects


Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	:	Causes eye irritation. No known significant effects or critical hazards. May cause an allergic skin reaction. No known significant effects or critical hazards.
Eye contact	:	Adverse symptoms may include the following: irritation watering redness
Inhalation	:	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact Ingestion	:	Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate medical a	ttentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## **Section 5. Fire-fighting measures**

#### Extinguishing media

## Geon™ DM740 BLACK PLASTISOL



# **ÀVIENT**

Page 5 of 17 Print Date 04/11/2025

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate

contractor.

waste disposal container. Dispose of via a licensed waste disposal

#### Geon™ DM740 BLACK PLASTISOL

:

Version Number 1.10 Revision Date 02/18/2025



Page 6 of 17 Print Date 04/11/2025

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### Section 8. Exposure controls/personal protection

## Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025



Page 7 of 17 Print Date 04/11/2025

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich	None.
2,4,4-Trimethyl-1,3-penytanediol diisobutyrate	None.
Proprietary Hazardous Compounds	None.
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls :	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work

Eye/face protection

:

clothing should not be allowed out of the workplace. Wash

and safety showers are close to the workstation location.


contaminated clothing before reusing. Ensure that eyewash stations

Safety eyewear complying with an approved standard should be used

liquid splashes, mists, gases or dusts. If contact is possible, the

when a risk assessment indicates this is necessary to avoid exposure to

#### Geon™ DM740 BLACK PLASTISOL





Page 8 of 17 Print Date 04/11/2025

following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. **Skin protection** Hand protection Chemical-resistant, impervious gloves complying with an approved : standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Personal protective equipment for the body should be selected based **Body protection** : on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection measures<br/>should be selected based on the task being performed and the risks<br/>involved and should be approved by a specialist before handling this<br/>product.Respiratory protection: Based on the hazard and potential for exposure, select a respirator that<br/>meets the appropriate standard or certification. Respirators must be<br/>used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

## **Section 9. Physical and chemical properties**

#### Appearance

Physical state	:	liquid [liquid]
Color	:	BLACK
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.

## Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025



Page 9 of 17 Print Date 04/11/2025

Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not applicable.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u> Heat of combustion		Not available
<u>Aerosol product</u> Heat of combustion	:	Not available.
	:	Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time		
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	Not available. Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
1,2-Benzenedicarboxylic acid, d	i-C8-10-branched al	lkyl esters, C9-rich				
LD50 Oral Rat 10,000 mg/kg -						
	LD00 Olui	Itut	10,000 mg/ng			

Version Number 1.10 Revision Date 02/18/2025

#### **SAFETY DATA SHEET**

#### Geon™ DM740 BLACK PLASTISOL



Page 10 of 17 Print Date 04/11/2025

Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	Eyes - Mild irritant	Rabbit	-		-
Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1- methylethyl)-1,3- propanediyl] ester	Skin - Mild irritant	Human	-	504 hrs	-
	Skin - Mild irritant	Guinea pig	-		-

Conclusion/Summary Skin Eyes Respiratory	<ul><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li></ul>
Sensitization	
Conclusion/Summary Skin Respiratory	<ul><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li></ul>
<b>Mutagenicity</b>	
Conclusion/Summary	: Mixture.Not fully tested.
<b>Carcinogenicity</b>	
Conclusion/Summary	: Mixture.Not fully tested.

#### Classification

Product/ingredient name	OSHA	IARC	NTP
Carbon black	-	2B	-

#### **Reproductive toxicity**

Conclusion/Summary	: Mixture.Not fully tested.
--------------------	-----------------------------

#### **Teratogenicity**

## Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025



Page 11 of 17 Print Date 04/11/2025

Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	expo	osure)
Specific target organ toxicity (repeat Not available.	ted e	<u>xposure)</u>
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	Causes eye irritation. No known significant effects or critical hazards. May cause an allergic skin reaction. No known significant effects or critical hazards.
Symptoms related to the physical, ch	nemi	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: irritation, watering, redness
Inhalation	:	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations
Skin contact	:	Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformations
Ingestion	:	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations
Delayed and immediate effects and a	also c	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		

## Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025



Page 12 of 17 Print Date 04/11/2025

Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	Suspected of damaging the unborn child.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	Suspected of damaging fertility. Suspected of damaging fertility or the unborn child.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Carbon black			
	Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
Conclusion/Summary	: Not available.		
Persistence and degradabilit	<u>v</u>		

Conclusion/Summary

Not available.

:

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential	
1,2-Benzenedicarboxylic acid, di-C8-	8.8	3.00	low	
10-branched alkyl esters, C9-rich				
Propanoic acid, 2-methyl-, 1,1'-[2,2-	-	5,340.00	high	

## Geon™ DM740 BLACK PLASTISOL

 AVIENT

Version Number 1.10 Revision Date 02/18/2025 Page 13 of 17 Print Date 04/11/2025

dimethyl-1-(1-methylethyl)-1,3- propanediyl] ester				
<u>Mobility in soil</u>				
Soil/water partition coefficient (KOC)	:	Not available.		
Other adverse effects	:	No known significan	t effects or critical haza	rds.
Section 13. Disposal con	nsi	derations		
Disposal methods	:	possible. Disposal of should at all times co protection and waste authority requirement products via a license disposed of untreated requirements of all a should be recycled. I when recycling is no disposed of in a safe emptied containers th containers or liners m	I to the sewer unless ful uthorities with jurisdict ncineration or landfill s t feasible. This material way. Care should be tak hat have not been cleaned nay retain some product	and any by-products nents of environmental d any regional local nd non-recyclable actor. Waste should not be ly compliant with the ion. Waste packaging hould only be considered and its container must be ken when handling

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

#### Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025

# **ÀVIENT**

Page 14 of 17 Print Date 04/11/2025

## Section 15. Regulatory information

U.S. Federal regulations	:	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich</li> </ul>
		United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Listed 4-Nonylphenol, branched
		United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed (2-Methoxymethylethoxy)propanol 4-Nonylphenol, branched
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed 2-Ethylhexanoic acid zinc salt Phenol Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	•	Not listed

## Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025



Page 15 of 17 Print Date 04/11/2025

Substances:Not listedClean Air Act Section 602 Class II::Not listedSubstances::Not listedDEA List I Chemicals (Precursor::Not listedDEA List II Chemicals (Essential::Not listedChemicals):::Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1 TOXIC TO REPRODUCTION - Category 2

#### **Composition/information on ingredients**

Name	%	Classification
1,2-Benzenedicarboxylic acid, di-C8-10-branched	>= 10 - <= 25	EYE IRRITATION - Category 2B
alkyl esters, C9-rich		
Propanoic acid, 2-methyl-, 1,1'-[2,2-dimethyl-1-(1- methylethyl)-1,3- propanediyl] ester	>= 3 - <= 5	TOXIC TO REPRODUCTION - Category 2
Proprietary Hazardous Compounds	>= 0.3 - < 1	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY - oral - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2

Not applicable.

<u>State regulations</u> Massachusetts	: The following components are listed: Calcium carbonate	
New York New Jersey	<ul> <li>None of the components are listed.</li> <li>The following components are listed: Ethene, chloro-, homopolymer</li> </ul>	
15/17		

# **ÀVIENT**

## Geon™ DM740 BLACK PLASTISOL

Version Number 1.10 Revision Date 02/18/2025

Page 16 of 17 Print Date 04/11/2025

	Calcium carbonate
	Paraffins, petroleum, normal C5-20
	Carbon black
:	The following components are listed: Calcium carbonate
	eurerum euronnate

## California Prop. 65

Pennsylvania

#### **WARNING:** This product can expose you to chemicals including 1,2-Benzenedicarboxylic acid, di-C8-10branched alkyl esters, C9-rich, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

A 11

Ingredient name	No significant risk level	Maximum acceptable dosage level
1,2-Benzenedicarboxylic acid, di-C8-10-	Yes.	-
branched alkyl esters, C9-rich		
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
<u>International regulations</u> Inventory list		
Australia	:	Not determined.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	Not determined.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)

## Geon™ DM740 BLACK PLASTISOL



Version Number 1.10 Revision Date 02/18/2025 Page 17 of 17 Print Date 04/11/2025

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	04/11/2025
Date of issue/Date of revision	:	02/18/2025
Date of previous issue	:	04/06/2022
Version	:	1.10
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.